(3) Immediately after the sale, the full sale amount with cesses thereon at Re. 0-1-0 local, Re. 0-0-6 education and Re. 0-0-6 railway shall be paid by the person whose bid is accepted

(4) The poles shall be removed within 15 days from the date of confirmation of the sale covered by a pass issued by the Range Officer.

D. NARASIMHAMOORTHY RAO,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notification dated 23rd May 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M., on 24th June 1935, for constructing drains in Tumkur Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by 31st August 1936.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 5,000 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing drains in Tumkur Town" in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Director of Health in Mysore who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Abstract estimate of quantities of work for constructing drains in Tumkur Town.

Sl. No.	Particulars	Unit	Quantity
1	Constructing drains with size stone in surki mortar on surki concrete bed and forming drain in the centre of concrete bed, ½" cement plastering over the curved surface and providing slabbed flooring with cement pointing the joints as per designs available in this office including earthwork for the drain		
	Design No. I	R.ft.	1,050
	Do No. II and V	,,	1,680
	Do No. III	,,	400
	Do No. IV	,,	100
	Do No. VI	,,	450
	Do No. VII and VIII	,,	2,750
	Do No. IX	,,	1,200

Sl. No.	Particulars	Unit	Quantity
2	Providing burnt stone slabs 6″ thick with edges hammer-dressed for covering over drains at road crossings	S.ft.	2,661
3	Providing burnt stone slabs 6″ thick for parapets with one line dressing over drains at road crossings	,,	1,952
4	Constructing silk pattern drains with burnt stone slab cheeks and surki concrete bed by forming a channel at the centre of concrete bed and surface plastered over with ½″ cement mortar and joints of slabs cement-pointed including earthwork excavation for the drain		
	(1) Design of 3″ with new slabs	R.ft.	20,970
	(2) Do with old slabs	,,	17,990
	(3) Do 4″ (1) with new slabs	,,	455
	(4) Do 4″ (2) with new slabs	,,	765
	(5) Do 5″ (1) with available old slabs	,,	1,240
	(6) Do 5″ (1) with new slabs	,,	50
	(7) Do 5″ (2) with new slabs	,,	1,705
5	Blasting rock	C.yd.	520
6	Dismantling the existing drains and removing and stacking the available slabs	S.ft.	29,400

K. S. HUTCHA RAO,
For *Sanitary Engineer*.

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 16th May 1935.

The attention of the public is invited to the Notification calling for tenders for constructing Fort Middle School at Bangalore, published on pages 1098-1099 of Part VI of the *Mysore Gazette*, dated 23rd May 1935.

The last date of receiving tenders is 11th June 1935.

A. TANDONI RAO,
Executive Engineer.

BANGALORE DIVISION.

Notification dated 21st May 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Bangalore Division, up to 2 P.M., on 17th June 1935, for restoring Harisandra Avekere of Closepet Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office, Bangalore Division, Bangalore, between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. They should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 250 as earnest money, and be superscribed "Tenders for restoring Harisandra Avekere of Closepet Taluk" in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately, but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer, Bangalore Division, will be final and legally binding.

12. Quotations must be given in words as well as in figures, and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Any tender containing a conditional clause contrary to these requirements or making stipulations not provided for either in this advertisement or the abstract quantity will summarily be rejected.

Abstract of quantities required for restoring Harisandra Avekere of Closepet Taluk.

No.	Items of work	Unit	Quantity	Rate in	
				Figures	Words
	Bund R. L. 55·00 top width 6 feet.				
1	Earthwork cutting grips	Gauge	5		
	(*a*) Clearing jungle	S.yd.	400		
2	Earthwork to bund with watering and tamping including lead, etc., complete	C.yd.	8,031		
3	Turfing front and rear slopes	S.yd.	2,419		
4	Burnt brick in surki mortar for core and creap wall	C.ft.	2,351		
5	Clay puddle wall	C.yd.	253		
6	Rough stone pitching, new	,,	342		
7	Providing and fixing new grade stones with bed slabs, figures, chistled and painted ..	Each	5		
8	Providing and fixing new index stones ..	,,	5		
9	Providing and fixing B. M. stones, figures, chistled and painted	,,	2		
10	Do Register No. stones do ..	,,	1		
11	Do Gauge stones do ..	,,	1		
	Waste Weir.				
1	Earthwork excavation of foundation to body wall	C.yd.	111		
2	Clearing jungle	S.yd.	50		
	(*a*) Deepening the ground level from R. L. 52·00 to R. L. 48·50	C.yd.	100		
3	Burnt brick in surki mortar	C.ft.	243		
4	Plastering with surki mortar	Sqr.	3·89		
5	Burnt stone slabs, 6″ thick, roughly dressed ..	S.ft.	170		
6	Rough stone work, new	C.yd.	120		
	Sluice.				
1	Earthwork cutting bund and refilling with consolidation	,,	165		
2	Concrete in surki mortar	C.ft.	161		
3	Burnt brick in surki mortar	,,	1,590		
4	Rough stone work, new	C.yd.	10		
5	Providing and fixing plug and rod and etc. complete with locking arrangements ..	Each	1		
6	Burnt stone slabs, 6″ thick, dressed and fixed ..	S.ft.	231		
7	Plastering with surki mortar	Sq.	6·29		
8	Cutting orifices in slabs	Each	4		

M. A. SRINIVASACHARI,
Executive Engineer.